

KORA ANTI-STATIC CLEANER

Page: 1 Compilation date: 22/02/2019 Revision date: 22/02/2021 Revision No: 1

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

### Product name: KORA SAFETY CLEANER 3D

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.3. Details of the supplier of the safety data sheet

Company name: Secure Micro Solutions Ltd

Unit 6, United Business Park Leeds West Yorkshire LS12 6UB UK Tel: +44 (0) 113 2467230 Fax: Email: customerservices@kora.co.uk

### 1.4. Emergency telephone number

Emergency tel: +44 (0) 113 2467230

(office hours only)

## Section 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; STOT SE 3: H336

Most important adverse effects: Causes serious eye irritation. May cause drowsiness or dizziness.

### 2.2. Label elements

Label elements:

Hazard statements: H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

Hazard pictograms: GHS07: Exclamation mark



Signal words: Warning

**Precautionary statements:** P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P271: Use only outdoors or in a well-ventilated area.

## KORA ANTI-STATIC CLEANER

P280: Wear protective gloves/protective clothing/eye protection/face protection. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTRE or doctor if you feel unwell.

## 2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

### Hazardous ingredients:

PROPAN-2-OL

200-661-7 67-63-0 - Flam, Liq.		
	2: H225; Eye Irrit. 2: H319;	10-30%
STOT SE	3: H336	

DC 90

-	-	-	Flam. Liq. 3: H226; Skin Irrit. 2: H315;	<1%
			Eye Irrit. 2: H319	

## Section 4: First aid measures

### 4.1. Description of first aid measures

Skin contact: Wash off with soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. If symptoms persist, obtain medical

advice.

Ingestion: Wash out mouth with water.

Inhalation: Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

- **Eye contact:** There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.
  - **Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

#### 4.3. Indication of any immediate medical attention and special treatment needed

## KORA ANTI-STATIC CLEANER

#### Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel.

Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

### 6.4. Reference to other sections

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Wash hands after use. Avoid contact

with eyes

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

## Section 8: Exposure controls/personal protection

8.1. Control parameters

## KORA ANTI-STATIC CLEANER

Page: 4

## Hazardous ingredients:

## PROPAN-2-OL

Workplace exposure limits:		Respirable dust		
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	999 mg/m3	1250 mg/m3	-	-
DC 90				
EU	400	500	-	-

## DNEL/PNEC Values

### Hazardous ingredients:

DC 90

Туре	Exposure	Value	Population	Effect
DNEL	Dermal	312.5	Workers	Systemic
DNEL	Inhalation	44	Workers	Systemic
DNEL	Oral	7.5	General Population	Systemic
DNEL	Inhalation	13	General Population	Systemic
DNEL	Dermal	187.5	General Population	Systemic
PNEC	Fresh water	0.00191	General Population	Systemic
PNEC	Fresh water	0.000191	General Population	Systemic
PNEC	Fresh water sediments	0.58	General Population	Systemic
PNEC	Soil (agricultural)	0.115	General Population	Systemic

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: When dealing with spillages, wear suitable protective equipment

Eye protection: Ensure eye bath is to hand. When dealing with spillages, wear suitable eye protection

Skin protection: When dealing with spillages, wear suitable protective equipment

## Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Off-white

Odour: Pleasant

Solubility in water: Soluble

## 9.2. Other information

Other information: No data available.

## KORA ANTI-STATIC CLEANER

Page: 5

### Section 10: Stability and reactivity

### 10.1. Reactivity

### 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

## 10.4. Conditions to avoid

Conditions to avoid: Heat.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## Section 11: Toxicological information

#### 11.1. Information on toxicological effects

### Hazardous ingredients:

## PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

### DC 90

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	>2000	mg/kg

## Relevant hazards for product:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	-	Hazardous: calculated

### Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

 $\label{eq:lingestion:} Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach$ 

pain may occur.

## KORA ANTI-STATIC CLEANER

Page: 6

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

## Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

DC 90

ALGAE	72H IC50	2.14	mg/l
DAPHNIA	48H EC50	2.23	mg/l
FISH	96H LC50	1.91	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

### Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

### Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

## KORA ANTI-STATIC CLEANER

## Section 16: Other information

Other information	
Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation	
(EU) 2015/830	
* indicates text in the SDS which has changed since the last revision.	
Phrases used in s.2 and s.3: H225: Highly flammable liquid and vapour.	
H226: Flammable liquid and vapour.	
H315: Causes skin irritation.	
H319: Causes serious eye irritation.	
H336: May cause drowsiness or dizziness.	
Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive	
and shall be used only as a guide. This company shall not be held liable for any	
damage resulting from handling or from contact with the above product.	